

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	((@ad<="20001219" or @rlad<="20001219") and ((compiler same (abstract adj2 type)).ab. or (compiler same (abstract adj2 type)).clm.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 16:04
S2	22	"5659753".URPN.	USPAT	OR	ON	2004/03/18 09:18
S3	4	("5175856" "5187789" "5276881" "5280617").PN.	USPAT	OR	ON	2004/03/18 09:44
S4	37	((@ad<="20001219" or @rlad<="20001219") and ((compiler same (neutral or (platform near2 independent))).ab. or (compiler same (neutral or (platform near2 independent))).clm.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 13:37
S5	37	((@ad<="20001219" or @rlad<="20001219") and ((compiler same (neutral or (platform near2 independent))).ab. or (compiler same (neutral or (platform near2 independent))).clm.)) not ((@ad<="20001219" or @rlad<="20001219") and ((compiler same (multilanguage or universal)).ab. or (compiler same (multilanguage or universal)).clm.))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 13:19
S6	12	(abstract near3 "data type") and supertype	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 09:55
S7	2	(constant adj2 (class and interface)) and descriptor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 09:58
S8	6	(constant adj2 (class and interface))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 14:18
S9	13	((@ad<="20001219" or @rlad<="20001219") and ((compiler same (multilanguage or universal)).ab. or (compiler same (multilanguage or universal)).clm.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 11:12

S10	29	(class near2 (defin\$3 or describ\$4)) near6 ((physical or hardware or computer or architecture) adj2 object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 11:14
S11	81	(object-oriented or compiler).ab. and (class same interface) and (type near4 (dependency or interdependency or interrelation\$4 or relationship))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 11:28
S12	55710	((@ad<="20001219" or @rlad<="20001219") and "717"/\$ or "714"/\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 09:51
S13	795	((@ad<="20001219" or @rlad<="20001219") and "717"/\$ or "714"/\$) and ((abstract adj2 type) or superclass)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 11:21
S14	37	((@ad<="20001219" or @rlad<="20001219") and ((compiler same (neutral or (platform near2 independent))). ab. or (compiler same (neutral or (platform near2 independent))). clm.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 12:46
S15	2	(((@ad<="20001219" or @rlad<="20001219") and "717"/\$ or "714"/\$) and ((abstract adj2 type) or superclass)) and ((@ad<="20001219" or @rlad<="20001219") and ((compiler same (neutral or (platform near2 independent))). ab. or (compiler same (neutral or (platform near2 independent))). clm.))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 11:21
S16	544	((@ad<="20001219" or @rlad<="20001219") and "717"/\$ or "714"/\$) and ((abstract adj2 type) or supertype)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 12:15
S17	526	(((@ad<="20001219" or @rlad<="20001219") and "717"/\$ or "714"/\$) and ((abstract adj2 type) or superclass)) and ((@ad<="20001219" or @rlad<="20001219") and "717"/\$ or "714"/\$) and ((abstract adj2 type) or supertype))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 11:21

S18	9	((class near2 (defin\$3 or describ\$4)) near6 ((physical or hardware or computer or architecture) adj2 object)) or ((object-oriented or compiler).ab. and (class same interface) and (type near4 (dependency or interdependency or interrelation\$4 or relationship)))) and (((@ad<="20001219" or @rlad<="20001219") and "717"/\$ or "714"/\$) and ((abstract adj2 type) or supertype))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 11:22
S19	9	((object-oriented or compiler).ab. and (class same interface) and (type near4 (dependency or interdependency or interrelation\$4 or relationship)))) and (((@ad<="20001219" or @rlad<="20001219") and "717"/\$ or "714"/\$) and ((abstract adj2 type) or supertype))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 11:29
S20	74	((object-oriented or compiler).ab. and (class same interface) and (type near4 (dependency or interdependency or interrelation\$4 or relationship)))) and ((object-oriented or compiler).ab. and (class same interface) and (type near4 relationship))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 11:29
S21	17	((object-oriented or compiler).ab. and (class same interface) and (type near4 (dependency or interdependency or interrelation\$4 or relationship)))) and ((object-oriented or compiler).ab. and (class same interface) and (type near4 relationship)))) and (((@ad<="20001219" or @rlad<="20001219") and "717"/\$ or "714"/\$) and ((abstract adj2 type) or superclass))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 11:30
S22	9	((class near2 (defin\$3 or describ\$4)) near6 ((physical or hardware or computer or architecture) adj2 object)) and ((@ad<="20001219" or @rlad<="20001219") and "717"/\$ or "714"/\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 12:12
S23	2	("5313635" "5381534").PN.	USPAT	OR	ON	2004/03/18 11:35
S24	2	"5761512".URPN.	USPAT	OR	ON	2004/03/18 11:37

S25	182	(ADL or ISDL or SLED or Mimola or HDL or nML) and (compiler near4 compiler)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 12:13
S26	6	((ADL or ISDL or SLED or Mimola or HDL or nML) and (compiler near4 compiler)) and (((@ad<="20001219" or @rlad<="20001219") and "717"/\$ or "714"/\$) and ((abstract adj2 type) or supertype))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 12:13
S27	39	((@ad<="20001219" or @rlad<="20001219") and "717"/\$ or "714"/\$) and (supertype)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 12:16
S28	1	((ADL or ISDL or SLED or Mimola or HDL or nML) and (compiler near4 compiler)) and (((@ad<="20001219" or @rlad<="20001219") and "717"/\$ or "714"/\$) and (supertype))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 12:16
S29	6	("5163016" "5168441" "5513122" "5522063" "5568396" "5568636").PN.	USPAT	OR	ON	2004/03/18 12:17
S30	7	"5854929".URPN.	USPAT	OR	ON	2004/03/18 12:29
S31	22	"5659753".URPN.	USPAT	OR	ON	2004/03/18 12:27
S32	3	"5659753".URPN. and (class and ((abstract adj2 type) or supertype))	USPAT	OR	ON	2004/03/18 12:31
S33	1	"5854929".URPN. and (class and ((abstract adj2 type) or supertype))	USPAT	OR	ON	2004/03/18 12:31
S34	8	"6477683".URPN.	USPAT	OR	ON	2004/03/18 12:31
S35	10	("5450586" "5535331" "5748875" "5819050" "5854929" "5870588" "5999734" "6006022" "6182206" "6195593").PN.	USPAT	OR	ON	2004/03/18 12:32
S36	6	("5163016" "5168441" "5513122" "5522063" "5568396" "5568636").PN.	USPAT	OR	ON	2004/03/18 12:36
S37	25	"5313635".URPN.	USPAT	OR	ON	2004/03/18 12:36
S38	7	("5355491" "5488714" "5854929" "5918035" "6226776" "6292938" "6463582").PN.	USPAT	OR	ON	2004/03/18 12:41

S39	135	((@ad<="20001219" or @rlad<="20001219") and ((ADL or ISDL or SLED or Mimola or HDL or nML) and (compiler near4 compiler)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 12:55
S40	9	((@ad<="20001219" or @rlad<="20001219") and ((ADL or ISDL or SLED or Mimola or HDL or nML) and (compiler near4 compiler))) and (class and ((abstract adj2 type) or (generic adj (class or defin\$6))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 12:53
S41	16	((@ad<="20001219" or @rlad<="20001219") and ((ADL or ISDL or SLED or Mimola or HDL or nML) and (compiler near4 compiler))) and (retargetable and compiler).	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 17:05
S42	1	((@ad<="20001219" or @rlad<="20001219") and ((ADL or ISDL or SLED or Mimola or HDL or nML) and (compiler near4 compiler))) and (retargetable and compiler)) and (class and ((abstract adj2 type) or supertype))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 13:47
S43	6	(compiler same (data adj2 type)) and (constant adj2 (class or interface))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 12:58
S44	5	(@ad<="20001219" or @rlad<="20001219") and ((compiler same (data adj2 type)) and (constant adj2 (class or interface)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 12:56
S45	1	(compiler same (data adj2 type)) and ("constant interface")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 12:59

S46	22	((US-5659753-\$ or US-6085035-\$ or US-5845121-\$ or US-5280617-\$ or US-5276881-\$ or US-5966702-\$ or US-5428792-\$ or US-5493675-\$ or US-5761512-\$ or US-5381534-\$ or US-5313635-\$ or US-5854929-\$ or US-5168441-\$ or US-6629312-\$ or US-6477683-\$ or US-6370681-\$ or US-5937192-\$ or US-5918035-\$ or US-5488714-\$ or US-6597664-\$ or US-6066181-\$ or US-6263485-\$).did.) and (@ad<="20001219" or @rlad<="20001219"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 13:46
S47	2	((((US-5659753-\$ or US-6085035-\$ or US-5845121-\$ or US-5280617-\$ or US-5276881-\$ or US-5966702-\$ or US-5428792-\$ or US-5493675-\$ or US-5761512-\$ or US-5381534-\$ or US-5313635-\$ or US-5854929-\$ or US-5168441-\$ or US-6629312-\$ or US-6477683-\$ or US-6370681-\$ or US-5937192-\$ or US-5918035-\$ or US-5488714-\$ or US-6597664-\$ or US-6066181-\$ or US-6263485-\$).did.) and (@ad<="20001219" or @rlad<="20001219"))) and supertype	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 13:01
S48	2	Praet.in. and compiler	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 13:10
S49	1	Chen.in. and object-oriented and "constant pool"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 13:14
S50	3	Yellin.in. and constant and cross-compil\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 13:43

S51	6	(((((ad<="20001219" or @rlad<="20001219") and "717"/\$ or "714"/\$) and ((abstract adj2 type) or superclass)) and (((ad<="20001219" or @rlad<="20001219") and "717"/\$ or "714"/\$) and ((abstract adj2 type) or supertype))) and ((ADL or ISDL or SLED or Mimola or HDL or nML) and (compiler near4 compiler))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 13:45
S52	9	(nML and compiler) and (@ad<="20001219" or @rlad<="20001219")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 14:21
S53	4	((nML and compiler) and (@ad<="20001219" or @rlad<="20001219")) and (class and ((abstract adj2 type) or supertype))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 17:04
S54	1	supertype and ((ADL or ISDL or SLED or Mimola or HDL or nML) and (compiler near4 compiler))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 13:48
S55	1279	object-oriented and (type near3 (relationship or hierarchy or dependency or tree))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 14:20
S56	143	(object-oriented and (type near3 (relationship or hierarchy or dependency or tree))) and ((parent or super or sub) adj2 type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 14:20
S57	44	((object-oriented and (type near3 (relationship or hierarchy or dependency or tree))) and ((parent or super or sub) adj2 type)) and (class and ((abstract adj2 type) or supertype))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 15:47
S58	26	((object-oriented and (type near3 (relationship or hierarchy or dependency or tree))) and ((parent or super or sub) adj2 type)) and (class and ((abstract adj2 type) or supertype))) and (@ad<="20001219" or @rlad<="20001219") and compil\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 16:24

S59	21	(((object-oriented and (type near3 (relationship or hierarchy or dependency or tree))) and ((parent or super or sub) adj2 type)) and (class and ((abstract adj2 type) or supertype))) and (@ad<="20001219" or @rlad<="20001219") and compil\$4) and (type near3 (tree or hierarchy or interrelationship or relationship or association)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 15:46
S60	21	(((object-oriented and (type near3 (relationship or hierarchy or dependency or tree))) and ((parent or super or sub) adj2 type)) and (class and ((abstract adj2 type) or supertype))) and (@ad<="20001219" or @rlad<="20001219") and compil\$4) and (type near3 (tree or hierarchy or interrelationship or relationship or association))) and (class and ((abstract adj2 type) or supertype))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 15:47
S61	14	(((object-oriented and (type near3 (relationship or hierarchy or dependency or tree))) and ((parent or super or sub) adj2 type)) and (class and ((abstract adj2 type) or supertype))) and (@ad<="20001219" or @rlad<="20001219") and compil\$4) and (type near3 (tree or hierarchy or interrelationship or relationship or association))) and (supertype or IDL or metadata)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 17:03
S62	14	nML and compiler	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 16:08
S63	0	Fauth.in. and nML and processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 16:15
S64	1	object-oriented and nML and retargetable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 16:17

S65	8	class and nML and retargetable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 16:19
S66	5	(class and nML and retargetable) and (@ad<="20001219" or @rlad<="20001219") and compil\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 16:35
S67	19	nML same (object-oriented or class)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 16:35
S68	2	(nML same (object-oriented or class)) and (@ad<="20001219" or @rlad<="20001219") and compil\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 17:04
S69	34	(US-5659753-\$ or US-6085035-\$ or US-5845121-\$ or US-5280617-\$ or US-5276881-\$ or US-5966702-\$ or US-5428792-\$ or US-5493675-\$ or US-5761512-\$ or US-5381534-\$ or US-5313635-\$ or US-5854929-\$ or US-5168441-\$ or US-6629312-\$ or US-6477683-\$ or US-6370681-\$ or US-5937192-\$ or US-5918035-\$ or US-5488714-\$ or US-6597664-\$ or US-6066181-\$ or US-6263485-\$ or US-6003038-\$ or US-5946489-\$ or US-6530054-\$ or US-6347388-\$).did. or (US-5488727-\$ or US-5696973-\$ or US-6275976-\$ or US-6298353-\$ or US-6510504-\$).did. or (US-20020073375-\$ or US-20010056522-\$ or US-20040015899-\$).did.	US-PGPUB; USPAT	OR	OFF	2004/03/18 16:58

S70	0	((US-5659753-\$ or US-6085035-\$ or US-5845121-\$ or US-5280617-\$ or US-5276881-\$ or US-5966702-\$ or US-5428792-\$ or US-5493675-\$ or US-5761512-\$ or US-5381534-\$ or US-5313635-\$ or US-5854929-\$ or US-5168441-\$ or US-6629312-\$ or US-6477683-\$ or US-6370681-\$ or US-5937192-\$ or US-5918035-\$ or US-5488714-\$ or US-6597664-\$ or US-6066181-\$ or US-6263485-\$ or US-6003038-\$ or US-5946489-\$ or US-6530054-\$ or US-6347388-\$).did. or (US-5488727-\$ or US-5696973-\$ or US-6275976-\$ or US-6298353-\$ or US-6510504-\$).did. or (US-20020073375-\$ or US-20010056522-\$ or US-20040015899-\$).did.) and RTL.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 16:58
S71	7	((US-5659753-\$ or US-6085035-\$ or US-5845121-\$ or US-5280617-\$ or US-5276881-\$ or US-5966702-\$ or US-5428792-\$ or US-5493675-\$ or US-5761512-\$ or US-5381534-\$ or US-5313635-\$ or US-5854929-\$ or US-5168441-\$ or US-6629312-\$ or US-6477683-\$ or US-6370681-\$ or US-5937192-\$ or US-5918035-\$ or US-5488714-\$ or US-6597664-\$ or US-6066181-\$ or US-6263485-\$ or US-6003038-\$ or US-5946489-\$ or US-6530054-\$ or US-6347388-\$).did. or (US-5488727-\$ or US-5696973-\$ or US-6275976-\$ or US-6298353-\$ or US-6510504-\$).did. or (US-20020073375-\$ or US-20010056522-\$ or US-20040015899-\$).did.) and RTL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 16:59
S72	6	RTL and nML	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 17:00
S73	448	(abstract adj2 type) and (nML or supertype or IDL or metadata or RTL or MIMOLA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 17:04

S74	160	((abstract adj2 type) and (nML or supertype or IDL or metadata or RTL or MIMOLA)) and (@ad<="20001219" or @rlad<="20001219") and compil\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 17:04
S75	122	((abstract adj2 type) and (nML or supertype or IDL or metadata or RTL or MIMOLA)) and (@ad<="20001219" or @rlad<="20001219") and compil\$4) and (class and ((abstract adj2 type) or supertype))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 17:06
S76	12	((abstract adj2 type) and (nML or supertype or IDL or metadata or RTL or MIMOLA)) and (@ad<="20001219" or @rlad<="20001219") and compil\$4) and (class and ((abstract adj2 type) or supertype))) and (retargetable and compiler)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 17:05
S77	12	((abstract adj2 type) and (nML or supertype or IDL or metadata or RTL or MIMOLA)) and (@ad<="20001219" or @rlad<="20001219") and compil\$4) and (class and ((abstract adj2 type) or supertype))) and (retargetable and compiler)) and (class and ((abstract adj2 type) or supertype))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 17:06
S78	1	((abstract adj2 type) and (nML or supertype or IDL or metadata or RTL or MIMOLA)) and (@ad<="20001219" or @rlad<="20001219") and compil\$4) and (class and ((abstract adj2 type) or supertype))) and (retargetable and compiler)) and (class and supertype)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/18 17:07

S79	34	(US-5428792-\$ or US-5659753-\$ or US-5493675-\$ or US-5761512-\$ or US-5381534-\$ or US-5313635-\$ or US-5854929-\$ or US-5168441-\$ or US-6629312-\$ or US-6477683-\$ or US-6370681-\$ or US-6085035-\$ or US-5845121-\$ or US-5937192-\$ or US-5918035-\$ or US-5488714-\$ or US-6597664-\$ or US-6263485-\$ or US-6066181-\$ or US-5966702-\$ or US-6003038-\$ or US-5946489-\$ or US-6530054-\$ or US-6510504-\$ or US-6347388-\$ or US-6298353-\$).did. or (US-6275976-\$ or US-5696973-\$ or US-5488727-\$ or US-5280617-\$ or US-5276881-\$).did. or (US-20040015899-\$ or US-20010056522-\$ or US-20020073375-\$).did.	US-PGPUB; USPAT	OR	OFF	2004/03/19 09:05
S80	12	((US-5428792-\$ or US-5659753-\$ or US-5493675-\$ or US-5761512-\$ or US-5381534-\$ or US-5313635-\$ or US-5854929-\$ or US-5168441-\$ or US-6629312-\$ or US-6477683-\$ or US-6370681-\$ or US-6085035-\$ or US-5845121-\$ or US-5937192-\$ or US-5918035-\$ or US-5488714-\$ or US-6597664-\$ or US-6263485-\$ or US-6066181-\$ or US-5966702-\$ or US-6003038-\$ or US-5946489-\$ or US-6530054-\$ or US-6510504-\$ or US-6347388-\$ or US-6298353-\$).did. or (US-6275976-\$ or US-5696973-\$ or US-5488727-\$ or US-5280617-\$ or US-5276881-\$).did. or (US-20040015899-\$ or US-20010056522-\$ or US-20020073375-\$).did.) and (abstract adj2 type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/19 10:19
S81	11	(object-oriented and nML) and (programmable or retargetable or HDL or simulation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/19 10:20
S82	10	((object-oriented and nML) and (programmable or retargetable or HDL or simulation)) and (@ad<="20001219" or @rlad<="20001219")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/19 11:27

S83	14	((US-5428792-\$ or US-5659753-\$ or US-5493675-\$ or US-5761512-\$ or US-5381534-\$ or US-5313635-\$ or US-5854929-\$ or US-5168441-\$ or US-6629312-\$ or US-6477683-\$ or US-6370681-\$ or US-6085035-\$ or US-5845121-\$ or US-5937192-\$ or US-5918035-\$ or US-5488714-\$ or US-6597664-\$ or US-6263485-\$ or US-6066181-\$ or US-5966702-\$ or US-6003038-\$ or US-5946489-\$ or US-6530054-\$ or US-6510504-\$ or US-6347388-\$ or US-6298353-\$).did. or (US-6275976-\$ or US-5696973-\$ or US-5488727-\$ or US-5280617-\$ or US-5276881-\$).did. or (US-20040015899-\$ or US-20010056522-\$ or US-20020073375-\$).did.) and (pointer same object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/19 11:43
S84	4	((US-5428792-\$ or US-5659753-\$ or US-5493675-\$ or US-5761512-\$ or US-5381534-\$ or US-5313635-\$ or US-5854929-\$ or US-5168441-\$ or US-6629312-\$ or US-6477683-\$ or US-6370681-\$ or US-6085035-\$ or US-5845121-\$ or US-5937192-\$ or US-5918035-\$ or US-5488714-\$ or US-6597664-\$ or US-6263485-\$ or US-6066181-\$ or US-5966702-\$ or US-6003038-\$ or US-5946489-\$ or US-6530054-\$ or US-6510504-\$ or US-6347388-\$ or US-6298353-\$).did. or (US-6275976-\$ or US-5696973-\$ or US-5488727-\$ or US-5280617-\$ or US-5276881-\$).did. or (US-20040015899-\$ or US-20010056522-\$ or US-20020073375-\$).did.) and (constant adj2 (class or pool or interface))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/19 12:07

S85	27	((US-5428792-\$ or US-5659753-\$ or US-5493675-\$ or US-5761512-\$ or US-5381534-\$ or US-5313635-\$ or US-5854929-\$ or US-5168441-\$ or US-6629312-\$ or US-6477683-\$ or US-6370681-\$ or US-6085035-\$ or US-5845121-\$ or US-5937192-\$ or US-5918035-\$ or US-5488714-\$ or US-6597664-\$ or US-6263485-\$ or US-6066181-\$ or US-5966702-\$ or US-6003038-\$ or US-5946489-\$ or US-6530054-\$ or US-6510504-\$ or US-6347388-\$ or US-6298353-\$).did. or (US-6275976-\$ or US-5696973-\$ or US-5488727-\$ or US-5280617-\$ or US-5276881-\$).did. or (US-20040015899-\$ or US-20010056522-\$ or US-20020073375-\$).did.) and (class and interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/19 12:08
S86	5	((US-5428792-\$ or US-5659753-\$ or US-5493675-\$ or US-5761512-\$ or US-5381534-\$ or US-5313635-\$ or US-5854929-\$ or US-5168441-\$ or US-6629312-\$ or US-6477683-\$ or US-6370681-\$ or US-6085035-\$ or US-5845121-\$ or US-5937192-\$ or US-5918035-\$ or US-5488714-\$ or US-6597664-\$ or US-6263485-\$ or US-6066181-\$ or US-5966702-\$ or US-6003038-\$ or US-5946489-\$ or US-6530054-\$ or US-6510504-\$ or US-6347388-\$ or US-6298353-\$).did. or (US-6275976-\$ or US-5696973-\$ or US-5488727-\$ or US-5280617-\$ or US-5276881-\$).did. or (US-20040015899-\$ or US-20010056522-\$ or US-20020073375-\$).did.) and (class and interface) and IDL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/19 12:43

S87	24	((US-5428792-\$ or US-5659753-\$ or US-5493675-\$ or US-5761512-\$ or US-5381534-\$ or US-5313635-\$ or US-5854929-\$ or US-5168441-\$ or US-6629312-\$ or US-6477683-\$ or US-6370681-\$ or US-6085035-\$ or US-5845121-\$ or US-5937192-\$ or US-5918035-\$ or US-5488714-\$ or US-6597664-\$ or US-6263485-\$ or US-6066181-\$ or US-5966702-\$ or US-6003038-\$ or US-5946489-\$ or US-6530054-\$ or US-6510504-\$ or US-6347388-\$ or US-6298353-\$).did. or (US-6275976-\$ or US-5696973-\$ or US-5488727-\$ or US-5280617-\$ or US-5276881-\$).did. or (US-20040015899-\$ or US-20010056522-\$ or US-20020073375-\$).did.) and library	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/19 12:50
S88	9	((US-5428792-\$ or US-5659753-\$ or US-5493675-\$ or US-5761512-\$ or US-5381534-\$ or US-5313635-\$ or US-5854929-\$ or US-5168441-\$ or US-6629312-\$ or US-6477683-\$ or US-6370681-\$ or US-6085035-\$ or US-5845121-\$ or US-5937192-\$ or US-5918035-\$ or US-5488714-\$ or US-6597664-\$ or US-6263485-\$ or US-6066181-\$ or US-5966702-\$ or US-6003038-\$ or US-5946489-\$ or US-6530054-\$ or US-6510504-\$ or US-6347388-\$ or US-6298353-\$).did. or (US-6275976-\$ or US-5696973-\$ or US-5488727-\$ or US-5280617-\$ or US-5276881-\$).did. or (US-20040015899-\$ or US-20010056522-\$ or US-20020073375-\$).did.) and library) and (instruction adj set)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/19 17:06
S89	4775	((717/156,143,104-117,132-140, 154-163) or (716/1) or (707/103R)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/19 17:08
S90	1442	(Real same (Integer or Rational) same (type or class)) or (Rational same Integer same (abstract adj (class or type)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/09 17:26

S91	1	((Real same (Integer or Rational) same (type or class)) or (Rational same Integer same (abstract adj (class or type)))) and "D-language"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/09 17:16
S92	4199	(extend\$4 or implement\$4 or instantiat\$5) near6 (abstract adj2 (type or class))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/09 17:20
S93	3750	(extend\$4 or implement\$4) near6 (abstract adj2 (type))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/09 17:21
S94	1774	((extend\$4 or implement\$4 or instantiat\$5) near6 (abstract adj2 (type or class))) and ((extend\$4 or implement\$4) near6 (abstract adj2 (type))) and (@ad<="20001219" or @rlad<="20001219")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/09 17:21
S95	3	(abstract adj2 (type near2 class)) and (((extend\$4 or implement\$4 or instantiat\$5) near6 (abstract adj2 (type or class))) and ((extend\$4 or implement\$4) near6 (abstract adj2 (type))) and (@ad<="20001219" or @rlad<="20001219"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/09 17:22
S96	9	(supertype and subtype) and UML	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 09:53
S97	3	(@ad<="20001219" or @rlad<="20001219") and ((supertype and subtype) and UML)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 10:17
S98	2	"6401100".URPN.	USPAT	OR	ON	2004/09/10 09:55
S99	17	("5481718" "5557793" "5581755" "5615367" "5644764" "5671398" "5701472" "5721925" "5758348" "5765039" "5893912" "5937410" "6026428" "6128772" "6182277" "6202066" "6219678").PN.	USPAT	OR	ON	2004/09/10 09:56

S10 0	163	(model\$3 near3 (computer (architecture or "operating system" or hardware))).ab. and (class same type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 10:19
S10 1	70	((model\$3 near3 (computer (architecture or "operating system" or hardware))).ab. and (class same type)) and (@ad<="20001219" or @rlad<="20001219") and ("717"/\$ or "345"/\$ or "704"/\$ or "716"/\$ or "703"/\$ or "700"/\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 10:24
S10 2	5	((((model\$3 near3 (computer (architecture or "operating system" or hardware))).ab. and (class same type)) and (@ad<="20001219" or @rlad<="20001219") and ("717"/\$ or "345"/\$ or "704"/\$ or "716"/\$ or "703"/\$ or "700"/\$)) and ((Booch or Jacobson and object-oriented) or (Unified adj2 model\$5) or ORM or UML)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 10:24
S10 3	20	(supertype and subtype) and ((Booch or Jacobson and object-oriented) or (Unified adj2 model\$5) or ORM or UML)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 10:24
S10 4	13	((supertype and subtype) and ((Booch or Jacobson and object-oriented) or (Unified adj2 model\$5) or ORM or UML)) and (@ad<="20001219" or @rlad<="20001219")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 13:17
S10 5	27	"5873097".URPN.	USPAT	OR	ON	2004/09/10 10:54
S10 6	43	((super and sub) adj (class or type)) and modeling and "abstract class"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 13:18
S10 7	41	((((super and sub) adj (class or type)) and modeling and "abstract class") and (@ad<="20001219" or @rlad<="20001219"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 13:19

S10 8	30	(((super and sub) adj (class or type)) and modeling and "abstract class") and (@ad<="20001219" or @rlad<="20001219")) not (((super and sub) adj (class or type)) and modeling and "abstract class") and (@ad<="20001219" or @rlad<="20001219")) not Bowman.in.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 13:20
S10 9	11	(((super and sub) adj (class or type)) and modeling and "abstract class") and (@ad<="20001219" or @rlad<="20001219")) not Bowman.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 13:21
S11 0	39	(US-5659753-\$ or US-6085035-\$ or US-5845121-\$ or US-5280617-\$ or US-5276881-\$ or US-5966702-\$ or US-5493675-\$ or US-5428792-\$ or US-5761512-\$ or US-5381534-\$ or US-5313635-\$ or US-5854929-\$ or US-5168441-\$ or US-6629312-\$ or US-6477683-\$ or US-6370681-\$ or US-5937192-\$ or US-5918035-\$ or US-5488714-\$ or US-6597664-\$ or US-6263485-\$ or US-6066181-\$ or US-6003038-\$ or US-5946489-\$ or US-6530054-\$ or US-6510504-\$).did. or (US-6347388-\$ or US-6298353-\$ or US-6275976-\$ or US-5696973-\$ or US-5488727-\$ or US-5765039-\$ or US-5644764-\$ or US-6182277-\$ or US-6401100-\$ or US-5873097-\$).did. or (US-20040015899-\$ or US-20020073375-\$ or US-20020019971-\$).did.	US-PGPUB; USPAT	OR	OFF	2004/09/10 15:55

S11 1	31	((US-5659753-\$ or US-6085035-\$ or US-5845121-\$ or US-5280617-\$ or US-5276881-\$ or US-5966702-\$ or US-5493675-\$ or US-5428792-\$ or US-5761512-\$ or US-5381534-\$ or US-5313635-\$ or US-5854929-\$ or US-5168441-\$ or US-6629312-\$ or US-6477683-\$ or US-6370681-\$ or US-5937192-\$ or US-5918035-\$ or US-5488714-\$ or US-6597664-\$ or US-6263485-\$ or US-6066181-\$ or US-6003038-\$ or US-5946489-\$ or US-6530054-\$ or US-6510504-\$).did. or (US-6347388-\$ or US-6298353-\$ or US-6275976-\$ or US-5696973-\$ or US-5488727-\$ or US-5765039-\$ or US-5644764-\$ or US-6182277-\$ or US-6401100-\$ or US-5873097-\$).did. or (US-20040015899-\$ or US-20020073375-\$ or US-20020019971-\$).did.) and (object-oriented programming or model\$4) and (class and interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 16:03
S11 2	12	"716"/\$ and UML and ((stack or register or ALU) adj2 (class or interface))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 16:04
S11 3	12	(@ad<="20001219" or @rlad<="20001219") and ("716"/\$ and UML and ((stack or register or ALU) adj2 (class or interface)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 16:09
S11 4	8	(D-Language or "D Language") and ((interface and (implement\$4 or extend\$4)) same class)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 16:09
S11 5	8	(@ad<="20001219" or @rlad<="20001219") and ((D-Language or "D Language") and ((interface and (implement\$4 or extend\$4)) same class))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 16:22
S11 6	4	Dwin.xa. and Craig.xa. and "ADD" and "703"/\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 16:17

S11 7	46	"703"/\$ and UML and (abstract adj2 type or class)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 16:22
S11 8	37	(@ad<="20001219" or @rlad<="20001219") and ("703"/\$ and UML and (abstract adj2 type or class))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 16:45
S11 9	98	(model\$4 adj3 (computer adj3 (infrastructure or system or architecture or component))) and ((Java or C++ or Smalltalk or Object-oriented) adj3 (class or interface))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 16:44
S12 0	667	((model\$4 or represent\$6 or meta or describ\$5) adj5 (computer adj3 (infrastructure or system or architecture or component))) and ((Java or C++ or Smalltalk or Object-oriented) adj3 (class or interface))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 16:45
S12 1	487	(@ad<="20001219" or @rlad<="20001219") and (((model\$4 or represent\$6 or meta or describ\$5) adj5 (computer adj3 (infrastructure or system or architecture or component))) and ((Java or C++ or Smalltalk or Object-oriented) adj3 (class or interface)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 16:46
S12 2	333	((@ad<="20001219" or @rlad<="20001219") and (((model\$4 or represent\$6 or meta or describ\$5) adj5 (computer adj3 (infrastructure or system or architecture or component))) and ((Java or C++ or Smalltalk or Object-oriented) adj3 (class or interface)))) and (OMG or UML or ((implement\$4 or extend\$4) near7 (class or interface)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 16:47
S12 3	75	((model\$4 adj3 (computer adj3 (infrastructure or system or architecture or component))) and ((Java or C++ or Smalltalk or Object-oriented) adj3 (class or interface))) and (OMG or UML or ((implement\$4 or extend\$4) near7 (class or interface)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 16:47

S12 4	213	(((@ad<="20001219" or @rlad<="20001219") and (((model\$4 or represent\$6 or meta or describ\$5) adj5 (computer adj3 (infrastructure or system or architecture or component))) and ((Java or C++ or Smalltalk or Object-oriented) adj3 (class or interface)))) and (OMG or UML or ((implement\$4 or extend\$4) near7 (class or interface)))) and (superclas or supertype or subtype or subclass or "abstract class" or "abstract type")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 16:48
S12 5	43	((((model\$4 adj3 (computer adj3 (infrastructure or system or architecture or component))) and ((Java or C++ or Smalltalk or Object-oriented) adj3 (class or interface))) and (OMG or UML or ((implement\$4 or extend\$4) near7 (class or interface)))) and (superclas or supertype or subtype or subclass or "abstract class" or "abstract type")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 16:48
S12 6	213	(((((@ad<="20001219" or @rlad<="20001219") and (((model\$4 or represent\$6 or meta or describ\$5) adj5 (computer adj3 (infrastructure or system or architecture or component))) and ((Java or C++ or Smalltalk or Object-oriented) adj3 (class or interface)))) and (OMG or UML or ((implement\$4 or extend\$4) near7 (class or interface)))) and (superclas or supertype or subtype or subclass or "abstract class" or "abstract type")) not Bowman.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 16:49
S12 7	43	(((((model\$4 adj3 (computer adj3 (infrastructure or system or architecture or component))) and ((Java or C++ or Smalltalk or Object-oriented) adj3 (class or interface))) and (OMG or UML or ((implement\$4 or extend\$4) near7 (class or interface)))) and (superclas or supertype or subtype or subclass or "abstract class" or "abstract type")) not Bowman.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 16:48

S12 8	41	((((@ad<="20001219" or @rlad<="20001219") and (((model\$4 or represent\$6 or meta or describ\$5) adj5 (computer adj3 (infrastructure or system or architecture or component))) and ((Java or C++ or Smalltalk or Object-oriented) adj3 (class or interface)))) and (OMG or UML or ((implement\$4 or extend\$4) near7 (class or interface)))) and (superclas or supertype or subtype or subclass or "abstract class" or "abstract type")) not Bowman.in.) and (superclass or supertype) and (implement\$5 near8 (interface and class))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 16:50
S12 9	6	(((model\$4 adj3 (computer adj3 (infrastructure or system or architecture or component))) and ((Java or C++ or Smalltalk or Object-oriented) adj3 (class or interface))) and (OMG or UML or ((implement\$4 or extend\$4) near7 (class or interface)))) and (superclas or supertype or subtype or subclass or "abstract class" or "abstract type")) not Bowman.in.) and (superclass or supertype) and (implement\$5 near8 (interface and class))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 16:50
S13 0	5	(((((((@ad<="20001219" or @rlad<="20001219") and (((model\$4 or represent\$6 or meta or describ\$5) adj5 (computer adj3 (infrastructure or system or architecture or component))) and ((Java or C++ or Smalltalk or Object-oriented) adj3 (class or interface)))) and (OMG or UML or ((implement\$4 or extend\$4) near7 (class or interface)))) and (superclas or supertype or subtype or subclass or "abstract class" or "abstract type")) not Bowman.in.) and (superclass or supertype) and (implement\$5 near8 (interface and class))) or ((D-Language or "D Language") and ((interface and (implement\$4 or extend\$4)) same class))) and "703"/\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 16:50

S13 1	5	(((((ad<="20001219" or @riad<="20001219") and (((model\$4 or represent\$6 or meta or describ\$5) adj5 (computer adj3 (infrastructure or system or architecture or component))) and ((Java or C++ or Smalltalk or Object-oriented) adj3 (class or interface)))) and (OMG or UML or ((implement\$4 or extend\$4) near7 (class or interface)))) and (superclas or supertype or subtype or subclass or "abstract class" or "abstract type")) not Bowman.in.) and (superclass or supertype) and (implement\$5 near8 (interface and class))) or (((((model\$4 adj3 (computer adj3 (infrastructure or system or architecture or component))) and ((Java or C++ or Smalltalk or Object-oriented) adj3 (class or interface))) and (OMG or UML or ((implement\$4 or extend\$4) near7 (class or interface)))) and (superclas or supertype or subtype or subclass or "abstract class" or "abstract type")) not Bowman.in.) and (superclass or supertype) and (implement\$5 near8 (interface and class)))) and "703"/\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 17:18
S13 2	4	"596746".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 17:18
S13 3	2	"5596746".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 17:18
S13 4	1	(constant adj3 (type or class)) and ((implement\$4 or extend\$5) near4 class) and ((deriv\$4 adj3 class) near6 (constant adj2 class))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/11 14:07
S13 5	6	Eiffel and (formal adj2 (argument or parameter)) and (routine and declar\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/11 13:06

S13 6	35	(formal adj (parameter or argument)) same ((object or (class adj2 instance)) near4 pass\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/11 14:09
S13 7	33	((formal adj (parameter or argument)) same ((object or (class adj2 instance)) near4 pass\$4)) and (@ad<="20001219" or @rlad<="20001219")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/11 14:09
S16 4	42	(US-20020019971-\$ or US-20020073375-\$ or US-20030005407-\$ or US-20030121027-\$ or US-20040015899-\$).did. or (US-5168441-\$ or US-5276881-\$ or US-5280617-\$ or US-5313635-\$ or US-5381534-\$ or US-5428792-\$ or US-5488714-\$ or US-5488727-\$ or US-5493675-\$ or US-5644764-\$ or US-5659753-\$ or US-5696973-\$ or US-5761512-\$ or US-5765039-\$ or US-5845121-\$ or US-5854929-\$ or US-5873097-\$ or US-5918035-\$ or US-5937192-\$ or US-5946489-\$ or US-5966702-\$ or US-6003038-\$ or US-6066181-\$ or US-6085035-\$ or US-6182277-\$ or US-6263485-\$).did. or (US-6275976-\$ or US-6298353-\$ or US-6347388-\$ or US-6370681-\$ or US-6401100-\$ or US-6477683-\$ or US-6510504-\$ or US-6530054-\$ or US-6597664-\$ or US-6629312-\$ or US-6738968-\$).did.	US-PGPUB; USPAT	OR	ON	2005/04/22 09:47
S16 5	0	S164 and (inline near7 (replac\$4 substitut\$4 insert\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 09:54
S16 6	258	((compilat\$4 compiler) same (link\$4 expand\$4 resolv\$4 relocat\$4)) and ((keyword or (tag flag) or inline) near7 (replac\$4 substitut\$4 insert\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 09:51
S16 8	37	(@ad<="20001219" or @rlad<="20001219") and ("717"/\$ or "714"/\$) and S166	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 11:12

S16 9	4050	{operand (instruction near2 code) opcode) near7 (replac\$4 substitut\$4 insert\$4 convert\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 09:54
S17 0	11	S169 and (inline near7 (replac\$4 substitut\$4 insert\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 11:13
S17 1	6	(@ad<="20001219" or @rlad<="20001219") and S170	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 09:55
S17 2	53	(@ad<="20001219" or @rlad<="20001219") and S169 and S166	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 10:02
S17 3	52	S172 not S170	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 10:02
S17 4	42	S173 and (compil\$4 interpreter linker Jvm) and ((substitut\$4 replac\$4) near7 (operand opcode))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 11:12
S17 7	38	S174 not Silverbrook	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 11:12
S17 8	426	(@ad<="20001219" or @rlad<="20001219") and ("717"/\$ or "714"/\$) and S169	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 11:12
S17 9	6	S178 and ((keyword inline) near7 (replac\$4 substitut\$4 insert\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 11:13
S18 0	4	S179 and S171	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 13:34

S18 1	5033	((replac\$5 substitut\$4) near5 (inline macro keyword tag))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 13:37
S18 2	44540	(@ad<="20001219" or @rlad<="20001219") and ((translat\$5 compil\$5 convert\$4) near8 (executable "machine language" (object adj code) binary exe))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 13:41
S18 3	49350	(@ad<="20001219" or @rlad<="20001219") and ((translat\$5 compil\$5 convert\$4) near8 (executable "machine language" (object adj code) binary exe))S181	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 13:40
S18 4	3255	(@ad<="20001219" or @rlad<="20001219") and S181	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 13:56
S18 5	206	S183 and S184 and (evaluat\$4 near3 (macro tag expression))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 13:42
S18 6	2	((evaluat\$5 near6 (macro expression tag identifier)) same inlin\$5) and S185	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 13:44
S18 7	3	((substitut\$4 replac\$5 expand\$5) near6 (macro expression tag identifier)) same inlin\$5) and S185	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 13:44
S18 8	4	S186 or S187	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 13:52
S18 9	72	(resolv\$4 convert\$4) adj4 (expression instruction method call) adj5 ((operand opcode))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 13:53
S19 0	23	S183 and S189	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 13:54

S19 1	10	S190 and "717"/\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 13:55
S19 2	15	(inline adj2 assembl\$5) and ("717"/\$ "714"/\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 13:56
S19 3	0	S191 and S192	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 13:56
S19 4	10	(@ad<="20001219" or @rlad<="20001219") and S192	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 14:33
S19 5	2	"6738966".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 13:58
S19 6	0	("6738966").URPN.	USPAT	OR	ON	2005/04/22 14:29
S19 7	2	(inline near5 (expand\$4 replac\$5 exten\$6 substitu\$5 assembl\$4)) and (Java C++) and (class near5 implement\$4 near5 interface)	USPAT	OR	ON	2005/04/22 14:32
S19 8	7	(inline near5 (expand\$4 replac\$5 exten\$6 substitu\$5 assembl\$4)) and (Java C++) and (register near6 sav\$4)	USPAT	OR	ON	2005/04/22 14:33
S19 9	7	(@ad<="20001219" or @rlad<="20001219") and S198	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 17:04

S20 0	51	(US-20020019971-\$ or US-20020073375-\$ or US-20030005407-\$ or US-20030121027-\$ or US-20040015899-\$).did. or (US-5168441-\$ or US-5276881-\$ or US-5280617-\$ or US-5313635-\$ or US-5381534-\$ or US-5428792-\$ or US-5488714-\$ or US-5488727-\$ or US-5493675-\$ or US-5644764-\$ or US-5659753-\$ or US-5696973-\$ or US-5761512-\$ or US-5765039-\$ or US-5845121-\$ or US-5854929-\$ or US-5873097-\$ or US-5918035-\$ or US-5937192-\$ or US-5946489-\$ or US-5966702-\$ or US-6003038-\$ or US-6066181-\$ or US-6085035-\$ or US-6182277-\$ or US-6263485-\$).did. or (US-6275976-\$ or US-6298353-\$ or US-6347388-\$ or US-6370681-\$ or US-6401100-\$ or US-6477683-\$ or US-6510504-\$ or US-6530054-\$ or US-6597664-\$ or US-6629312-\$ or US-6738968-\$ or US-6745384-\$ or US-6314562-\$ or US-6591403-\$ or US-5835771-\$ or US-6738966-\$ or US-6880155-\$ or US-6067641-\$ or US-5812850-\$ or US-5740443-\$).did.	US-PGPUB; USPAT	OR	ON	2005/04/22 15:33
S20 1	1	S200 and IntBubbleSort	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 15:33

S20 2	51	(US-20020019971-\$ or US-20020073375-\$ or US-20030005407-\$ or US-20030121027-\$ or US-20040015899-\$).did. or (US-5168441-\$ or US-5276881-\$ or US-5280617-\$ or US-5313635-\$ or US-5381534-\$ or US-5428792-\$ or US-5488714-\$ or US-5488727-\$ or US-5493675-\$ or US-5644764-\$ or US-5659753-\$ or US-5696973-\$ or US-5761512-\$ or US-5765039-\$ or US-5845121-\$ or US-5854929-\$ or US-5873097-\$ or US-5918035-\$ or US-5937192-\$ or US-5946489-\$ or US-5966702-\$ or US-6003038-\$ or US-6066181-\$ or US-6085035-\$ or US-6182277-\$ or US-6263485-\$).did. or (US-6275976-\$ or US-6298353-\$ or US-6347388-\$ or US-6370681-\$ or US-6401100-\$ or US-6477683-\$ or US-6510504-\$ or US-6530054-\$ or US-6597664-\$ or US-6629312-\$ or US-6738968-\$ or US-6745384-\$ or US-6314562-\$ or US-6591403-\$ or US-5835771-\$ or US-6738966-\$ or US-6880155-\$ or US-6067641-\$ or US-5812850-\$ or US-5740443-\$).did.	US-PGPUB; USPAT	OR	ON	2005/04/22 16:02
S20 3	2	S202 and inline and HDL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 16:04
S20 4	0	S202 and inline and HDL and (register near8 sav\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 16:04
S20 5	3	S202 and inline and (register near8 sav\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 16:05
S20 6	2	((@ad<="20001219" or @rlad<="20001219") and S203	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 17:05

S20 7	1	(@ad<="20001219" or @rlad<="20001219") and S197	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 17:05
S20 8	52	(US-20020019971-\$ or US-20020073375-\$ or US-20030005407-\$ or US-20030121027-\$ or US-20040015899-\$).did. or (US-5168441-\$ or US-5276881-\$ or US-5280617-\$ or US-5313635-\$ or US-5381534-\$ or US-5428792-\$ or US-5488714-\$ or US-5488727-\$ or US-5493675-\$ or US-5644764-\$ or US-5659753-\$ or US-5696973-\$ or US-5740443-\$ or US-5761512-\$ or US-5765039-\$ or US-5812850-\$ or US-5835771-\$ or US-5845121-\$ or US-5854929-\$ or US-5873097-\$ or US-5918035-\$ or US-5937192-\$ or US-5946489-\$ or US-5966702-\$ or US-6003038-\$ or US-6066181-\$).did. or (US-6067641-\$ or US-6085035-\$ or US-6182277-\$ or US-6263485-\$ or US-6275976-\$ or US-6298353-\$ or US-6314562-\$ or US-6347388-\$ or US-6370681-\$ or US-6401100-\$ or US-6477683-\$ or US-6510504-\$ or US-6530054-\$ or US-6591403-\$ or US-6597664-\$ or US-6629312-\$ or US-6691301-\$ or US-6738966-\$ or US-6738968-\$ or US-6745384-\$ or US-6880155-\$).did.	US-PGPUB; USPAT	OR	ON	2005/04/23 12:27
S20 9	3	S208 and (Killian or Tanaka or veldhuizen).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/23 13:50

S21 0	52	(US-20020019971-\$ or US-20020073375-\$ or US-20030005407-\$ or US-20030121027-\$ or US-20040015899-\$).did. or (US-5168441-\$ or US-5276881-\$ or US-5280617-\$ or US-5313635-\$ or US-5381534-\$ or US-5428792-\$ or US-5488714-\$ or US-5488727-\$ or US-5493675-\$ or US-5644764-\$ or US-5659753-\$ or US-5696973-\$ or US-5740443-\$ or US-5761512-\$ or US-5765039-\$ or US-5812850-\$ or US-5835771-\$ or US-5845121-\$ or US-5854929-\$ or US-5873097-\$ or US-5918035-\$ or US-5937192-\$ or US-5946489-\$ or US-5966702-\$ or US-6003038-\$ or US-6066181-\$).did. or (US-6067641-\$ or US-6085035-\$ or US-6182277-\$ or US-6263485-\$ or US-6275976-\$ or US-6298353-\$ or US-6314562-\$ or US-6347388-\$ or US-6370681-\$ or US-6401100-\$ or US-6477683-\$ or US-6510504-\$ or US-6530054-\$ or US-6591403-\$ or US-6597664-\$ or US-6629312-\$ or US-6691301-\$ or US-6738966-\$ or US-6738968-\$ or US-6745384-\$ or US-6880155-\$).did.	US-PGPUB; USPAT	OR	ON	2005/04/23 13:30
S21 1	2	S210 and inline and Java and (class near8 interface near4 implement\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/23 13:32
S21 2	16	S210 and (abstract adj2 type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/23 13:33

S21 3	52	(US-20020019971-\$ or US-20020073375-\$ or US-20030005407-\$ or US-20030121027-\$ or US-20040015899-\$).did. or (US-5168441-\$ or US-5276881-\$ or US-5280617-\$ or US-5313635-\$ or US-5381534-\$ or US-5428792-\$ or US-5488714-\$ or US-5488727-\$ or US-5493675-\$ or US-5644764-\$ or US-5659753-\$ or US-5696973-\$ or US-5740443-\$ or US-5761512-\$ or US-5765039-\$ or US-5812850-\$ or US-5835771-\$ or US-5845121-\$ or US-5854929-\$ or US-5873097-\$ or US-5918035-\$ or US-5937192-\$ or US-5946489-\$ or US-5966702-\$ or US-6003038-\$ or US-6066181-\$).did. or (US-6067641-\$ or US-6085035-\$ or US-6182277-\$ or US-6263485-\$ or US-6275976-\$ or US-6298353-\$ or US-6314562-\$ or US-6347388-\$ or US-6370681-\$ or US-6401100-\$ or US-6477683-\$ or US-6510504-\$ or US-6530054-\$ or US-6591403-\$ or US-6597664-\$ or US-6629312-\$ or US-6691301-\$ or US-6738966-\$ or US-6738968-\$ or US-6745384-\$ or US-6880155-\$).did.	US-PGPUB; USPAT	OR	ON	2005/04/23 13:50
S21 4	3	S213 and (Killian or Tanaka or veldhuizen).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/23 13:50
S21 5	3	S214 and library	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/23 15:37
S21 6	38	Java and (variable adj class) and (class near4 implement near4 interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/23 15:38
S21 7	0	(@ad<="20001219" or @rlad<="20001219") and S216 and (class adj2 signature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/23 15:39

S21 8	18	(@ad<="20001219" or @rlad<="20001219") and S216 and (signature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/23 15:39
----------	----	---	---	----	----	------------------